	Application No.	Applicant(s)
Al. d. C. All I see	10/815,766	AHN, BYUNG CHUL
Notice of Allowability	Examiner	Art Unit
	Timothy L. Rude	2871
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 12 l</u>	December 2006.	
2. The allowed claim(s) is/are <u>1-4,6-19 and 21-26</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		material stage application from the
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAMINER reason(s) why the oath or declara	R'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the 0	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawing the header according to 37 CFR 1.121	ings in the front (not the back) of (d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 	D. Janes A. A. Barattan
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. ∐ Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statem	ent of Reasons for Allowance
/ H	9.	
David Nelms		+le
Supervisory Patent Exa Technology Center 2		tlr

Art Unit: 2871

DETAILED ACTION

Claims

Claims 1-3, 6, 8, 11, 14, 17, 18, 21, and 23 are amended. Claims 5 and 20 are canceled by Applicant.

Allowable Subject Matter

Claims 1-4, 6-19, and 21-26 are allowed.

The following is an examiner's statement of reasons for allowance:

As to independent claims 1 and 6, relevant prior art of record did not disclose, alone or in combination, the liquid crystal display of horizontal electric field applying type as claimed comprising a plurality of signal supplying lines for supplying a driving signal to the driving integrated circuit and a connector to which a conductive film for supplying a driving signal to the signal supplying line is attached.

The closest prior art is applicant's admitted prior art (AAPA) in view of Muramatsu, USPAT 6,151,091. However, no prior art with proper motivation to combine was found to teach the above limitations.

As to claims 2-4 and 7-16, they are directly or indirectly dependent upon claim 6 with allowable subject matter above.

As to independent claims 17 and 21, relevant prior art of record did not disclose, alone or in combination, the method of making a liquid crystal display of horizontal electric field applying type as claimed comprising forming a plurality of signal supplying lines for supplying a driving signal to the driving integrated circuit and attaching a connector to the signal supplying lines with a conductive film to supply a driving signal to the signal supplying lines.

The closest prior art is applicant's admitted prior art (AAPA) in view of Muramatsu, USPAT 6,151,091. However, no prior art with proper motivation to combine was found to teach the above limitations.

As to claims 18-19 and 22-26, they are directly or indirectly dependent upon claim 21 with allowable subject matter above.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Rude whose telephone number is (571) 272-2301. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David C. Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

tlr

Examiner Art Unit 2871

Timothy L Rude

David Nelms
Supervisory Patent Examiner
Technology Center 2800